

## Purchase Order Receipt Listing

Friday, April 08, 2016 1:55:09 PM

All amounts are calculated in domestic currency.

Page 1 of 1

All Vendors	PO ID P031721	Receipt Dates from 4/7/2016 to 4/7/2016	All Line Item Types
All Item ID/GL/WOs	All Rec. Employees	All Currencies	
Grouped by Vendor ID			

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date  Required Qty	Recv Date/ Emp	Recv Qty  (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRRB Qty/ Reject Qty	Book Amt
VendorID\Vendor Name		VU-MET002	A.M. Castle & Co. (Canada) Inc.- C/O 910720								
POS1721	3		M7075T6B1.500X1.5 f 00		4/7/2016	4/7/2016	12.0000		0.0000	0	\$0.00
USD	No		7075 T6 BAR 1.500 f x 1.500 ml34527		12.0000	PLOU01			0.0000	0	
	4		M7075T6B5.000X0.3 f 75		4/7/2016	4/7/2016	12.0000		0.0000	0	\$0.00
	No		7075-T6 BAR 5.000" f X 0.375" ml34527		12.0000	PLOU01			0.0000	0	
	5		71401-45 PROCUREMENT QUALITY CLAUSESES ml34527		4/1/2016	4/7/2016	1.0000		0.0000	0	\$0.00
	No				1.0000	PLOU01			0.0000	0	
Total Received Quantity:								Total Qty to Inspect (PO U/M):			25.0000
Total Reject Quantity:								Total Receipt Value:			0.0000
Total Balance Due Quantity:											\$0.00
											0.0000


INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:2926330

<b>Ship From:</b>	A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA	<b>Sold To:</b>	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b>	A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	<b>Deliver To:</b>	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b>		<b>F.O.B.</b>		<b>Freight Terms</b>		<b>Carrier</b>	
28-MAR-16		ORIGIN		Prepaid		ABF	
							<b>BOL No</b>
							2926330-2

<b>Shipment Details</b>	<b>Final Destination Branch - TOR</b>
-------------------------	---------------------------------------

Order No	Line No	Item No	Description				
4289664	1	750412.MO	1.5000.P.L.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 1.5 IN ( + .0620/- .0000 IN) X 72 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12, ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
31721		2.00 PCS	2.00 PCS				
Details	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS						
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
120382602	KAISER ALUMINUM	 16175881		2			33.4003

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported hereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:



SP16-04-8

<b>SHIP TO:</b> A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723
<b>SOLD TO:</b> AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
 Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
 4406817

CUSTOMER PO NUMBER: 347611	WORK PACKAGE:	CUSTOMER PART NUMBER: 750412	SHIP RUN/LOAD: 103464/2	GOVT CONTRACT NUMBER:		
KAISER ORDER NO: 1200458	LINE ITEM: 1	SHIP DATE: 4-FEB-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate
WEIGHT SHIPPED: 4322 LB	QUANTITY: 4 PCS EST.	TRUCK B/L #: 2058468	GAUGE: 1.5000 IN (38.1000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)	

MHU 1962543: LOT 159663B4: 1 pieces;  
 MHU 1966757: LOT 16175888: 3 pieces;

DAS  
 14 16/04/13  
 9-09

### Certified Specifications

AMS 4045/RevK  
 ASTM B 209/Rev14  
 BSS 7055/RevB  
 DPS 4.713/RevAK  
 PS 21211/RevP

AMS-QQ-A-250/12/RevA  
 ASTM B 594/Rev13  
 CMMP 025/RevU  
 GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA  
 BAC 5439/RevJ  
 CSTI 006/RevE  
 GSS16100/RevG/Amd1

Test Code: 1512

### Test Results

Lot: 159663B4    Cast 117    Drop 04    Ingot 4    Melted in USA

(ASTM E8/B557)  
 (EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	82.1 : 82.3 (566 : 567)	72.6 : 72.9 (501 : 503)	13.2 : 13.3

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.09	0.21	1.5	0.03	2.5	0.19	5.7	0.03	0.01	0.01	TOT 0.05

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4406817

Lot: 16175888 Cast 125 Drop 05 Ingot 2 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	81.3 : 81.4 (561 : 561)	72.1 : 72.1 (497 : 497)	12.5 : 12.9

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.21	1.4	0.04	2.5	0.20	5.6	0.03	0.01	0.01	TOT 0.05

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15403A R 7  
AMS 4045, AMS QQ-A-250/12, AMS STD-2154, A  
STM B209, ASTM B594, BS  
S 7055, CMMP 025, CSTI 006, DPS 4.713, GAMP  
S 9101, PS 21211

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits; mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251 (< 1ppm).  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are for file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.

*James Hemenway*

JAMES HEMENWAY, LABORATORIES SUPERVISOR


INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No: 2926330

<b>Ship From:</b>		<b>Sold To:</b>		<b>Ship To:</b>		<b>Deliver To:</b>	
A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b>	<b>F.O.B.</b>	<b>Freight Terms</b>		<b>Carrier</b>		<b>BOL No</b>	
28-MAR-16	ORIGIN	Prepaid		ABF		2926330-2	

**Shipment Details** **Final Destination Branch - TOR**

<b>Order No</b>	<b>Line No</b>	<b>Item No</b>	<b>Description</b>
4289664	2	750067.MO	0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 5 IN (+ .0620/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com
<b>Purchase Order No</b>	<b>Part Number</b>	<b>Ordered Qty</b>	<b>Invoice Qty</b>
31721		1.00 PCS	1.00 PCS
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			
<b>Delivery No.</b>	<b>Mill</b>	<b>Heat Number</b>	<b>Mech Id</b> <b>PCS</b> <b>Width (IN)</b> <b>Length (IN)</b> <b>Shipped Qty(LBS)</b>
120382602	KAISER ALUMINUM	 15922788	1 28.3863

*SP16-04-8*

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported hereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:



8/10-6m-8

## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4403786

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

CUSTOMER PO NUMBER: 347581		WORK PACKAGE:		CUSTOMER PART NUMBER: 750067		SHIP RUN/LOAD: 103440/14		GOV'T CONTRACT NUMBER:					
KAISER ORDER NO: 1200488		LINE ITEM: 1		SHIP DATE: 9-JAN-2016		ALLOY: 7075		CLAD: BARE		TEMPER: T651		PRODUCT DESCRIPTION: Sawed Plate	
WEIGHT SHIPPED: 3240 LB		QUANTITY: 12 PCS EST.		TRUCK B/L #: 2058004		GAUGE: 0.3750 IN ( 9.5250 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)			

MHU 1956913: LOT 15922788: 12 pieces;

### Certified Specifications

AMS 4045/RevK  
CMMP 025/RevU

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

### Test Results

Lot: 15922788 Cast 895

Drop 24

Ingot 3



Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	86.9 : 87.1 (599 : 601)	76.9 : 77.4 (530 : 534)	12.6 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.04	2.6	0.20	5.8	0.03	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4403786

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15409 R 3  
AMS 4045,AMS QQ-A-250/12,ASTM B209,CMMP  
025

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 262.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1251 (<= 1 ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.



JAMES HEMENWAY, LABORATORIES SUPERVISOR

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL 1707576  
DATE 16/04/13

PO / BATCH NO 31721/134527

MATERIAL CERT REC'D yes  
QUANTITY RECEIVED 12'  
QUANTITY INSPECTED 12'  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED 5.00X.375  
THICKNESS RECEIVED 5.03X.375  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY <u>DAS</u>	SIGNED OFF BY _____		
DATE <u>16/04/13</u>	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL 1707516  
DATE 16/04/13

PO / BATCH NO 31721/134527

MATERIAL CERT REC'D yes  
QUANTITY RECEIVED 12'  
QUANTITY INSPECTED 12'  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED 1.50 X 1.50  
THICKNESS RECEIVED 1.55 X 1.610  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	N	
CORRECT FINISH	Y	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT THICKNESS	Y	N	
PHOTO REQUIRED	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT REF # TO LINK CERT	Y	N	
CORRECT MATERIAL IDENTIFICATION	Y	N	
CORRECT M# ON THE MATERIAL	Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY	<u>14</u> <u>9-89</u>	SIGNED OFF BY	_____
DATE	<u>16/04/13</u>	DATE	_____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31721**

Purchase Order Date 3/16/2016

PO Print Date 3/16/2016

Page Number 1 of 3

**Order From :**

VU-MET002

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

**E-MAILED**

MAR 16 2016

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M303B1.000X1.000	303 BAR 1" X 1"	4/1/2016 Yes 4/1/2016		12.00 ✓ f	\$13.22	\$158.64
MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE							
Line Total:							\$158.64
2	M304B1.000X1.000	304 bar 1.00 x 1.00	4/1/2016 Yes 4/1/2016		12.00 ✓ f	\$12.04	\$144.48
MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE							
Line Total:							\$144.48

*Sp16 03-22*

Note:

3/16/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO31721

Purchase Order Date 3/16/2016

PO Print Date 3/16/2016

Page Number 2 of 3

**Order From :**

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

3	M7075T6B1.500X1.500	7075 T6 BAR 1.500 x 1.500	4/1/2016	12.00	✓	\$21.06	\$252.72
			Yes	f			
			4/1/2016				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$252.72

4	M7075T6B5.000X0.375	7075-T6 BAR 5.000" X 0.375"	4/1/2016	12.00	✓	\$19.84	\$238.08
			Yes	f			
			4/1/2016				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$238.08

Note:

3/16/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31721**

Purchase Order Date 3/16/2016

PO Print Date 3/16/2016

Page Number 3 of 3

**Order From :**

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

5	71401-45	PROCUREMENT QUALITY CLAUSES	4/1/2016	1.00	\$0.00	\$0.00
---	----------	--------------------------------	----------	------	--------	--------

No

4/1/2016

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

Line Total: \$0.00

PO Total: \$793.92

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1

Change Date: 3/16/2016